UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/534,797	05/12/2005	Michael Roreger	512100-2047	9006
Frommer Lawre	7590 07/28/200 ence & Haug	EXAMINER		
745 Fifth Avenu	ue	HWU, DAVIS D		
New York, NY 10151			ART UNIT	PAPER NUMBER
			3752	
			MAIL DATE	DELIVERY MODE
			07/28/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)					
Office Action Comments	10/534,797	ROREGER ET AL.					
Office Action Summary	Examiner	Art Unit					
	Davis D. Hwu	3752					
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply							
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.  - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.  - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).							
Status							
1)⊠ Responsive to communication(s) filed on <u>30 Ju</u>	ne 2008.						
·= · · · · · · · · · · · · · · · · · ·	action is non-final.						
·=	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is						
closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.							
Disposition of Claims							
4)⊠ Claim(s) <u>1,2,4-14,16 and 17</u> is/are pending in t	he application.						
4a) Of the above claim(s) is/are withdrawn from consideration.							
5) Claim(s) is/are allowed.							
6) Claim(s) <u>1,2,4-14,16 and 17</u> is/are rejected.							
7)☐ Claim(s) is/are objected to.							
8) Claim(s) are subject to restriction and/or	election requirement.						
Application Papers							
9)☐ The specification is objected to by the Examiner.							
10) The drawing(s) filed on is/are: a) acce		Examiner.					
Applicant may not request that any objection to the							
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).							
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.							
Priority under 35 U.S.C. § 119							
12)⊠ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).							
a)⊠ All b)□ Some * c)□ None of:							
<ol> <li>☐ Certified copies of the priority documents</li> </ol>	s have been received.						
2. Certified copies of the priority documents have been received in Application No							
3. Copies of the certified copies of the priority documents have been received in this National Stage							
application from the International Bureau (PCT Rule 17.2(a)).							
* See the attached detailed Office action for a list of the certified copies not received.							
Attachment(s)							
1) Notice of References Cited (PTO-892)  4) Interview Summary (PTO-413)							
2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08)	ate atent Application						
S) Information Disclosure Statement(s) (PTO/SB/08)  Paper No(s)/Mail Date  5) Notice of Informal Patent Application  6) Other:							

Application/Control Number: 10/534,797 Page 2

Art Unit: 3752

## Response to Amendment

1. Applicant's amendment and arguments of June 30, 2008 have been entered and have been fully considered.

2. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

## Claim Rejections - 35 USC § 103

3. Claims 1, 2, 4-14, 16, and 17 are rejected under 35 U.S.C. 103(a) as being unpatentable over Paul.

Paul discloses a dispenser for controlled release of volatile substances comprising a reservoir covered on its top face and on its bottom face by a first control element 50 that exerts a control function that is dependent on the physical properties of the fragrance and the material properties of the control element and fully covered by a second control element 22 in which the second element is impermeable and is in the form of a film that possesses gaps 52. The number of gaps as recited would have been matters of design choice since the device having such modifications would still carry out the function of the prior art. The thickness and shapes as recited in claims 11 and 12 would have been matters of design choice since such a modification involves a mere change in the size or shape of a component which is generally recognized as being within the level of ordinary skill in the art. Regarding claims 13 and 14, it has been held that a recitation with respect to the manner in which a claimed apparatus is intended to be employed does not differentiate the claimed apparatus from a prior art apparatus satisfying the

Application/Control Number: 10/534,797 Page 3

Art Unit: 3752

claimed structural limitations and the duration as recited in claim 17 would also have been a matter of design choice.

## Response to Arguments

4. Applicant's arguments filed June 30, 2008 have been fully considered but they are not persuasive. Since element 22 of Paul is of impermeable material and has a flap 51 which has to be removed to dispense the scent, the element 22 is a "control element." Also, claim 1 of the instant invention claims a film that possesses gaps but does not recite the location of the gaps. Therefore, the prior art reads on the structural limitations as claimed.

## Conclusion

5. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Davis D. Hwu whose telephone number is 571-272-

Application/Control Number: 10/534,797 Page 4

Art Unit: 3752

4904. The examiner can normally be reached on 8:00-4:30. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Len Tran can be reached on 571-272-1184. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

/Davis D Hwu/ Primary Examiner, Art Unit 3752